

Health Monitoring Report Based on FELASA Recommendations



Envigo RMS (UK-Blackthorn) Ltd
Station Road
Blackthorn
Bicester
OX25 1TP
UK

Location and Strain
UK ISO Balb/c Nude

Species
Mouse

Report Date
September 09, 2020

Submission Date
September 04, 2020

Mouse Strains Held

Mutant Mice

BALB/cOlaHsd-Foxn1nu BALB/cOlaHsd-Foxn1nu/Foxn1+

Summary of Findings

No significant findings.

Report Reference: 20-1453, Report Printed: September 09, 2020

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Health Monitoring Report Based on FELASA Recommendations



Facility	Location and Strain				Species	
Envigo RMS (UK-Blackthorn) Ltd	UK ISO Balb/c Nude				Mouse	
Viruses	Test Frequency	Latest Test Date	Latest Results	Testing Laboratory	Test Method	Historical Results*
Ectromelia virus	6 months	04.09.20	0/6	UK	Bead	0/28
Hantavirus	12 months	04.09.20	0/6	UK	Bead	0/12
Lactate dehydrogenase elevating virus	12 months	04.09.20	0/6	UK	ELISA	0/12
Lymphocytic choriomeningitis virus	6 months	04.09.20	0/6	UK	Bead	0/28
Minute virus of mice	2 months	04.09.20	0/6	UK	Bead	0/64
Mouse adenovirus type 1 (MAd FL)	6 months	04.09.20	0/6	UK	Bead	0/28
Mouse adenovirus type 2 (MAd K87)	6 months	04.09.20	0/6	UK	Bead	0/28
Mouse cytomegalovirus	12 months	04.09.20	0/6	UK	Bead	0/12
Mouse hepatitis virus	2 months	04.09.20	0/6	UK	Bead	0/64
Mouse K-virus	12 months	04.09.20	0/6	UK	ELISA	0/12
Mouse Norovirus	2 months	04.09.20	0/6	UK	Bead	0/64
Mouse parvovirus	2 months	04.09.20	0/6	UK	Bead	0/64
Mouse polyoma virus	12 months	04.09.20	0/6	UK	ELISA	0/12
Mouse rotavirus (EDIM)	2 months	04.09.20	0/6	UK	Bead	0/64
Mouse thymic virus	12 months	04.09.20	0/6	UK	IFA	0/12
Pneumonia virus of mice	6 months	04.09.20	0/6	UK	Bead	0/28
Reovirus type 3 (Reo 3)	6 months	04.09.20	0/6	UK	Bead	0/28
Sendai Virus	6 months	04.09.20	0/6	UK	Bead	0/28
Theiler's murine encephalomyelitis	2 months	04.09.20	0/6	UK	Bead	0/64
Bacteria, Mycoplasma and Fungi						
CAR Bacillus	12 months	04.09.20	0/6	UK	ELISA	0/12
<i>Citrobacter rodentium</i>	6 months	04.09.20	0/6	UK	Culture	0/28
<i>Clostridium piliforme</i>	6 months	04.09.20	0/6	UK	Bead	0/28
<i>Corynebacterium kutscheri</i>	6 months	04.09.20	0/6	UK	Culture	0/28
<i>Helicobacter</i> spp	2 months	04.09.20	0/12	UK	RT-PCR	0/144
<i>Hyperkeratinosis Associated Corynebacterium</i> spp	2 months	04.09.20	0/6	UK	RT-PCR	0/80
<i>Klebsiella oxytoca</i>	2 months	04.09.20	0/12	UK	Culture	0/144
<i>Klebsiella pneumoniae</i>	2 months	04.09.20	0/12	UK	Culture	0/144
<i>Mycoplasma pulmonis</i>	6 months	04.09.20	0/6	UK	Bead	0/28
<i>Pasteurella multocida</i>	2 months	04.09.20	0/12	UK	Culture	0/144
<i>Pasteurella pneumotropica</i>	2 months	04.09.20	0/12	UK	Culture	0/144
<i>Pneumocystis murina</i>	6 months	04.09.20	0/6	UK	RT-PCR	0/28
<i>Proteus</i> spp	2 months	04.09.20	0/12	UK	Culture	0/144
<i>Pseudomonas aeruginosa</i>	2 months	04.09.20	0/12	UK	Culture	0/144
<i>Salmonella</i> spp	6 months	04.09.20	0/6	UK	Culture	0/28
<i>Staphylococcus aureus</i>	2 months	04.09.20	0/12	UK	Culture	0/144
<i>Streptobacillus moniliformis</i>	6 months	04.09.20	0/6	UK	Culture	0/28
Streptococci Beta-haemolytic (not group D)	2 months	04.09.20	0/12	UK	Culture	0/144
<i>Streptococcus pneumoniae</i>	2 months	04.09.20	0/12	UK	Culture	0/144
Parasites						
Ectoparasites	2 months	04.09.20	0/12	UK	Microscopy	0/144
<i>Encephalitozoon cuniculi</i>	12 months	04.09.20	0/6	UK	ELISA	0/12
Endoparasites	2 months	04.09.20	0/12	UK	Microscopy	0/144
Pathological Lesions						
External	6 months	04.09.20	0/12	UK	Pathology	0/112
Necropsy	6 months	04.09.20	0/12	UK	Pathology	0/112

Report Reference: 20-1453, Report Printed: September 09, 2020

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.